

RAPID FOG

OUTSMART THE INTRUDER

. SPEED . SECURITY . SAFETY .

R.FLEX RANGE

www.rapid-fog.com

Stratel
YOUR SECURE CHOICE





R.FLEX

Currently, it is the most powerful and the fastest fully battery operated fogging system. Ideal to protect spaces without mains power, temporary stores, worksites, trucks, armored vans, containers, but also houses or spaces where you want to save on power consumption.

GENERAL SPECIFICATIONS

WEIGHT OF THE SYSTEM WITHOUT BATTERY	ABOUT 4,5 KG
WEIGHT WITH PACKAGING	ABOUT 5 KG
DIMENSION OF THE MACHINE	25X16XH15
UNITS ON A PALLET (100X120)	48
COLOR	GALVANIZED STEEL
WORKING TIME WITHOUT MAINS POWER	MORE THAN 3 MONTHS
HEAT UP TIME FROM COLD	IMMEDIATE
VERTICAL INSTALLATION	Yes
HORIZONTAL INSTALLATION	No
NOZZLE TAMPER	No
ALARM KIT	OPTIONAL
ARMING INPUT	Yes
SHOOTING INPUT	Yes
PIR SHOOTING VALIDATION INPUT	Yes
EMPTY TANK OUTPUT	Yes
TAMPER OUTPUT	Yes
FAULT OUTPUT	Yes
SHOOTING CONFIRMATION OUTPUT	Yes

STANDARDS

COMPLIES WITH EUROPEAN CE	yes
CERTIFIED FOG FLUID	yes
MEETS EUROPEAN STANDARD	yes

SPECIFICATIONS (IN STANDARD CONFIGURATION WITH 70 Ah BATTERY)

NEW HEATING SYSTEM "ADVANCE"	Yes
VOLUME COVERED IN A SINGLE SHOT (VISIBILITY 1,5 M, 8 MINUTES)	Up to 750 m3
VOLUME COVERED IN A SINGLE SHOT (VISIBILITY 0 M, 8 MINUTES)	Up to 500 m3
MAXIMUM TIME OF FOG EMISSION IN A SINGLE SHOT	About 8 minutes
MAXIMUM FOG EMISSION WITH FULL FOG BAG	750 m3
NUMBER OF FOG BAGS	1
FOG BAG CAPACITY	1 x 500 ml
SHOOTING SPECIFICATIONS	Programmable in seconds
FOG BAG INCLUDED	1
BAG MODEL	RFF500V

ELECTRICAL SPECIFICATIONS

POWER SUPPLY	Battery
AVERAGE POWER CONSUMPTION (BATTERY)	0,25 W
BACK UP BATTERY	no
OPTIONAL DEMO/ANTIROBBERY KIT	yes
STANDARD COMMUNICATION PROTOCOL	yes

FEATURES



Powerful and fast fogging system, can cover up to 750 m³.



Just 0,25 W power consumption, can work more than 3 months only with battery.



It is very easy to change and with a very competitive price.



RAPID FOG fogging systems are certified after European regulation. Fog fluid is assessed as not dangerous for people and animals and does not leave residuals.



The most dense fog among all the fogging systems thanks to 80% of glycol in its fog fluid and the proprietary shooting technology.

Fog Tanks

VERTICAL



PRODUCT CODE

RFF500V

LIQUID QUANTITY (ml)

500

MACHINE MODEL

R.FLEX

Target



CAMPERS- CARAVANS-BOATS

Flex, battery operated, a unique solution for your security



VALUE TRANSPORTS

Battery operated solution for high risk protection



CAMPER



BOATS



CONTAINER



VALUE TRANSPORT



ATM



TRAILERS



SAFES



MONEY EXCHANGE



CONSTRUCTION
SITES

