

RAPID FOG

OUTSMART THE INTRUDER

. SPEED . SECURITY . SAFETY .

RF RANGE & ADVANCE RANGE

www.rapid-fog.com

Stratel
YOUR SECURE CHOICE





RF 200 SC

It is the ideal fogging system to protect small and medium areas like shops, homes, bank ATM machines. It is the entry level of the professional line, shoots up to 300 m³ of dense fog in 20 seconds. It is equipped with a single cylinder and shooting time can be set in seconds. It is very fast and competitive.

GENERAL SPECIFICATIONS

WEIGHT OF THE FOG MACHINE	ABOUT 9 KG
WEIGHT WITH PACKAGING	ABOUT 11 KG
DIMENSION OF THE MACHINE	26,5X23,0XH34,5
WORKING TIME WITHOUT MAINS POWER	ABOUT 2 HOURS
HEAT UP TIME FROM COLD	ABOUT 70 MINUTES
VERTICAL OR CORNER MOUNTING	Yes
HORIZONTAL MOUNTING	Yes
NOZZLE TAMPER	Yes
ALARM KIT	OPTIONAL

STANDARDS

COMPLIES WITH EUROPEAN CE	Yes
FOG FLUID IS CERTIFIED	Yes
MEETS EUROPEAN STANDARD	Yes

FOG GENERATOR

NEW HEATING SYSTEM ADVANCE	Yes
MAX FOG SINGLE SHOT 1,5 M VISIBILITY	Up to 300 m ³
MAX FOG SINGLE SHOT ZERO VISIBILITY	Up to 200 m ³
MAX SECONDS OF FOG EMISSION	20 sec
MAX FOG EMITTED WITH FULL FOG TANK	600 m ³
NUMBER OF CYLINDERS	1
FOG TANK CAPACITY	1 x 400 ml
SHOOTING SPECIFICATION	Programmable in seconds
CYLINDER MODEL	RFC400V
CYLINDER INCLUDED	1

ELECTRICAL SPECIFICATIONS

POWER SUPPLY	240 V
AVERAGE POWER CONSUMPTION	37 W
BACK UP BATTERY	Yes
OPTIONAL DEMO/ANTIROBBERY KIT	Yes
WIRED INPUTS ARMING AND SHOOTING	Yes
WIRED OUTPUTS	Yes
STANDARD COMMUNICATION PROTOCOL	Yes

FEATURES



FAST FOG

Powerful and fast fogging system, can cover up to 300 m³ in 20 seconds.



LOW ENERGY

Thanks to the massive insulation RAPID FOG fogging systems have a very low power consumption and can shoot for longer time in absence of mains power, temperature is constantly stable.



HIGH DENSITY FOG

The most dense fog among all the fogging systems thanks to 80% of glycol in its fog fluid and the proprietary shooting technology.



NOZZLE TAMPER

Another exclusive, patented and very useful plus that allows to detect automatically if the nozzle is tampered and sends an advise signal.



REMOVABLE CYLINDER

Removable and disposable fog cylinder, it is very easy to change and with a very competitive price.



SECURE AND CERTIFIED

RAPID FOG fogging systems are certified after European regulation. Fog fluid is assessed as not dangerous for people and animals and does not leave residuals.



RF 200 SC ADVANCE

It is the ideal fogging system to protect medium areas like large shops, homes, and generally all professional applications where is needed a top security technology. It is equipped with one cylinder for a very convenient, reliable and redundant shooting, shoots up to 400 m³ of dense fog in 20 seconds. It is very fast and competitive. It is prearranged to an easy wall installation and it has a lower compartment to eventually equip boards or accessories.

GENERAL SPECIFICATIONS

WEIGHT OF THE FOG MACHINE	ABOUT 11 KG
WEIGHT WITH PACKAGING	ABOUT 13 KG
DIMENSION OF THE MACHINE	27,5X23,0Xh44,0
WORKING TIME WITHOUT MAINS POWER	ABOUT 2 HOURS
HEAT UP TIME FROM COLD	ABOUT 70 MINUTES
VERTICAL OR CORNER MOUNTING	Yes
HORIZONTAL MOUNTING	Yes
NOZZLE TAMPER	Yes
ALARM KIT	OPTIONAL

STANDARDS

COMPLIES WITH EUROPEAN CE	Yes
FOG FLUID IS CERTIFIED	Yes
MEETS EUROPEAN STANDARD	Yes

FOG GENERATOR

NEW HEATING SYSTEM ADVANCE	Yes
MAX FOG SINGLE SHOT 1,5 M VISIBILITY	Up to 400 m ³
MAX FOG SINGLE SHOT ZERO VISIBILITY	260 m ³
MAX SECONDS OF FOG EMISSION	20 sec
MAX FOG EMITTED WITH FULL FOG TANK	900 m ³
NUMBER OF CYLINDERS	1
FOG TANK CAPACITY	1 x 600 ml
SHOOTING SPECIFICATION	Programmable in seconds
CYLINDER MODEL	RFC600V
CYLINDER INCLUDED	1

ELECTRICAL SPECIFICATIONS

POWER SUPPLY	240 V
AVERAGE POWER CONSUMPTION	37 W
BACK UP BATTERY	Yes
OPTIONAL DEMO/ANTIROBBERY KIT	Yes
INPUTS WIRED ARMING AND SHOOTING	Yes
OUTPUTS WIRED	Yes
STANDARD COMMUNICATION PROTOCOL	Yes

FEATURES



FAST FOG

Powerful and fast fogging system, can cover up to 400 m³ each shot.



LOW ENERGY

Thanks to the massive insulation RAPID FOG fogging systems have a very low power consumption and can shoot for longer time in absence of mains power, temperature is constantly stable.



HIGH DENSITY FOG

The most dense fog among all the fogging systems thanks to 80% of glycol in its fog fluid and the proprietary shooting technology.



OCCCLUSION AUTOMATIC MONITORING

NOZZLE TAMPER

Another exclusive, patented and very useful plus that allows to detect automatically if the nozzle is tampered and sends an advise signal.



REMOVEABLE CYLINDER



Removable and disposable fog cylinder, it is very easy to change and with a very competitive price.



SECURE AND CERTIFIED

RAPID FOG fogging systems are certified after European regulation. Fog fluid is assessed as not dangerous for people and animals and does not leave residuals.

Fog Tanks

	RF RANGE	RF ADVANCE RANGE
VERTICAL / HORIZONTAL		
PRODUCT CODE	RFC400V RFC400H	RFC600V RFC600H
LIQUID QUANTITY (ml)	400	600
MACHINE MODEL	RF 200 SC	RF 200 SC ADVANCE

Target



ATM / BANKS

Embedded battery operated solutions or standard fogging systems



PETROL STATIONS

Outdoor or indoor solutions



SAFES

Safe rooms and areas where a safe is installed can be easily protected



MONEY EXCHANGE

A wide range of solutions from small to large areas



TELCO SHOPS / SHELTERS

Telecommunication shelters or shops are primary target for fogging systems



GAMBLING MACHINES

A wide range of solutions from small to large areas



SUPERMARKETS

Solution for any need and space dimension



SHOPS

The best solution to protect your premises



JEWELLERIES

Safe and effective solutions for jewellery shops



HOMES

Protect you and your family even when you are at home



GARAGES

The smart and cheap solutions with easy fogging systems



WAREHOUSES

Up to 1800m³ with just one fogging system

RAPID
FOGTM
OUTSMART THE INTRUDER

Stratel
YOUR SECURE CHOICE

Stratel (Malaysia) Sdn. Bhd. (166069-W)
12 Jalan Teknologi 3/3A, Surian Industrial Park
Kota Damansara PJU 5, 47810 Petaling Jaya,
Selangor Darul Ehsan, Malaysia

tel.: +603-6157-1848
fax: +603-6151-9918
e-mail: inquiry@stratel.com.my
www.stratel.com.my